

MY-TY-X Tire Pressure Gauge



MY-TY-X Tire Pressure Gauge is used to measure the pressure of tires on a vehicle. Since tires are rated for specific loads at certain pressure, it is important to keep the pressure of the tire at the optimal amount. Tires are rated for their optimal pressure when cold, meaning before the tire has been driven on for the day and allowed to heat up, which ultimately changes the internal pressure of the tire due to the expansion of gases. MY-TY-X Tire Pressure Gauge is specially designed for automobile tire pressure measurement purpose. With copper thickened reinforced quick chuck, it can quickly connect and disconnect tire nozzle without air leakage.

Technical Specification

Size: 2"(50mm), 2.5"(60mm)

Pressure Range: customized

Socket: Brass lower mount or TM

Connection thread: With release pressure button and hose (valve)

Tube: Copper alloy

Case: Black steel or Plastic

Sheath: Rubber

Bezel: Press-on


Window (Lens): Acrylic

Dial plate: Single or dual scale (psi, kpa, mpa, bar, kg/cm²)

Accuracy: 2.5% (pointer analog), 0.5% (digital)

Ambient temperature: -40°C to 60°C

Pointer analog type



Features:

Automobile mechanical tire pressure gauge

Metal structure, strong and durable

Material: copper, iron, aluminum, plastic, rubber

360 degree rotatable copper head, compact design

Digital type:



Features:

LCD display with backlight for easy reading

Display units can be switched

Working current: ≤ 3mA (with backlight); ≤ 1mA (without backlight)





2*AAA Batteries

Model Selection




MY-TY	Tire Pressure Gauge	
-	Type	A: pointer analog D: digital
-	Dial diameter	E.g. -100 (100mm), or -4". etc.
-	(Pressure range)	e.g. (0-10bar) or (0-1MPa) etc.
-	Connection	S: short rod L: with hose extension
-	Sub-model	Refer to below C2: customer specified

Samples



	Features		Features	Notes
	Digital display short rod Model: -60A Blue backlight/ green backlight Short rod color: Silver/ Gold		Pointer display short rod Model: -50A Dial color: white, black, or luminous Short rod color: Silver/ Gold	Gross weight: 180g Box size: 135 * 90 * 40mm Accessories: plastic valve cap * 4, instruction manual
	Digital display hose Blue backlight/ green backlight Hose: silver/gold Model: -60B: ordinary clamp hose -60C: angle type hose -60D: brass sealing clamp (silver, red or black braided tube)		Pointer display hose Dial color: white, black, or luminous Hose: silver/gold Model: -50D: brass sealing clamp (silver, red or black braided tube)	Gross weight: 280g Box size: 200 * 110 * 40mm Accessories: Plastic valve cap * 4, instruction manual

 <p style="text-align: right;">-60C</p>	 <p style="text-align: right;">-60D</p>	 <p style="text-align: right;">-50D</p>		<p>-D series unit gross weight: 400g</p> <p>Box size: 175*115*50mm</p> <p>Four in one:</p> <p>Tool Black Plastic Box</p> <p>Green Plastic Box</p> <p>Black Handle Box</p>
	<p>Digital tire pressure gun</p> <p>Model: -T6</p> <p>Blue backlight/ green backlight</p> <p>Hose clamp: brass air nozzle clamp/ ordinary clamp</p> <p>Gun body color: black/ blue/ customized</p>		<p>Pointer display tire pressure gun</p> <p>Model: -G6</p> <p>Meter diameter: 50mm/60mm/customized</p> <p>Hose clamp: brass air nozzle clamp/ ordinary clamp</p> <p>Gun body color: black/blue/customized</p>	<p>Gross weight: 460g</p> <p>Box size: 270 * 140 * 45mm</p> <p>Accessories: plastic valve cap * 4, O-ring * 2, Thread seal tape, instruction manual</p> <p>Optional: Four in one tool, battery</p>

	<p>Digital tire pressure gun</p> <p>Model: -T7</p> <p>Blue backlight/ green backlight</p> <p>Hose clamp: brass nozzle clamp/ truck inflation head</p> <p>Gun body color: black/silver/frosted/customized</p>		<p>Pointer display tire pressure gun</p> <p>Model: -G7</p> <p>Meter diameter: 50mm/60mm/customized</p> <p>Hose clamp: brass nozzle clamp/ truck inflation head</p> <p>Gun body color: black/silver/matte</p>	<p>Gross weight: 520g</p> <p>Box size: 245 * 90 * 80mm</p> <p>Accessories: plastic valve cap * 4, O-ring * 2, Thread seal tape, instruction manual</p> <p>Optional: multiple plug-in units, brass inflator, blue screwdriver, red and black screwdriver, truck inflation head, extension rod, battery</p>
	<p>Digital tire pressure gun</p> <p>Model: -T8</p> <p>Blue backlight</p> <p>Hose clamp: brass nozzle clamp/ truck inflation head</p>			<p>Gross weight: 600g</p> <p>Box size: 290 * 95 * 75mm</p> <p>Accessories: plastic valve cap * 4, O-ring * 2, Thread seal tape, instruction manual</p> <p>Optional: multiple inserts, truck inflation head</p>